

ZIBO JINGGAN REFRACTORY IMPORT AND EXPORT CO.,LTD

Address:NO. 3, Yanhe Road, Boshan, Zibo, Shandong, China
Email:wp@cnjingganrefractory.com/sdwenping@163.com
Contact:Rose Tel/Wechat:+86-13275332819
Tel:86-533-4188518 Fax:86-533-4188518

PVC Anti-static Floor



1, Main parameters of PVC Anti-static Floor

ITEM	TECHNCIAL INDEX
Static dissipative Ω	$1.0 \times 10^6 \sim 1.0 \times 10^9$
Change rate of heating length %	≤ 0.4
Electrostatic conductivity EC	$< 1.0 \times 10^6$
Change rate of water absorption length %	≤ 0.4
Residual concavity mm	≤ 0.15
Wear volume 1000turns	$\leq 0.02 \text{g/cm}^2$
Combustion performance s	< 10
Electrification voltage v	< 100
Corrosion resistance	Weak acid and alkali resistance

2. Description of PVC Anti-static Floor: the product is made of PVC resin through special processing. PVC particles form a conductive network with permanent anti-static function. It looks like marble and has good decorative effect. Ingredients: PVC resin, plasticizer, stabilizer, filler, conductive material and color mixing material, molding method: polymerized thermoplastic molding. The product has various colors, beautiful appearance, elasticity and good foot feel.

3. Main characteristics

ZIBO JINGGAN REFRACTORY IMPORT AND EXPORT CO.,LTD

1)Carbon black with stable conductive material performance, conductive network from the upper surface to the lower surface, this structure determines the permanent anti-static performance

2)The matrix is semi-rigid PVC plastic, which is wear-resistant, corrosion-resistant and flame-retardant

3)It is like the external surface of marble pattern, with adjustable color, good decoration effect and convenient construction

4. Product specification: floor tile 600 * 600mm, with optional thickness. Coiled material: 20m * 2m * 2mm, 3mm

5. Application: telecommunication industry, electronic industry, computer room, clean workshop, anti-static place

6. Product application case diagram



ZIBO JINGGAN REFRACTORY IMPORT AND EXPORT CO.,LTD

7.Good feedback of product use effect,the products have been exported to Australia,
Oman,Morocco

8,The manufacturer is a professional manufacturer and can provide complete product
index test reports or third-party test reports.

Do you want to find a professional supplier of refractory products?

Do you want to find a professional supplier of graphite electrodes?

Do you want to find a stable and credible supplier?

Then let's contact with jinggan company

Contact me:

Email:wp@cnjingganrefractory.com/sdwenping@163.com

TEL: 86-0533-4188518 / **FAX:** 86-0533-4188518

Rose:+86-13275332819(wechat/whatsapp number)